



Stylistic[®] 3000

Insulated Residential Garage Doors



**Stylish
Durable
Safe**


✓ **LIFETIME**
LIMITED WARRANTY

**MAXIMUM
R-VALUE**



...because we understand all the elements of life.

3-Layer Construction: Steel/Polyurethane/Steel 1-3/8" (35mm) Thick Insulated Steel Garage Door



Stylish Design



- Detailed raised panel design provides natural wood appearance
- Custom heights and widths are available for virtually any size
- Powder coated hardware optional
- Various window design inserts add elegance to any home



16' x 7' – Sandtone with Bradford Lead-Look Glazing

Industry Leading Safety Features:

1. Patented Pinch Resistant Joint on Interior and Exterior prevents injury by gently pushing fingers away from section joints - US Patent# 6,363,993 other patents pending
2. Tension Safe cable attachment eliminates injuries if bottom bracket is removed
3. Secure Hook interlocks door sections for added strength and security
4. Environmentally Friendly Polyurethane Insulation 100% CFC free



Exterior and interior steel skins are hot dipped, galvanized, primed and pre-finished with a polyester topcoat and embossed with a detailed wood grain pattern



- Standard 3-Year limited hardware warranty on all moving and non-moving parts
- Optional Upgrade* - Continuous Pivoting Bracket doubles the hardware warranty to 6-years


Energy Efficient

Polyurethane Insulation
100% CFC free

Foam-in place insulation will significantly enhance panel strength and improve energy efficiency


Exceptional Quality & Lasting Durability

5. Sweeping Action Weather Seal between every joint protects against wind, rain, snow, and air infiltration
6. Pivoting Chamber acts as added reinforcement to strengthen door section
 - No protruding or sharp parts
 - Quiet Operation
 - Virtually maintenance free



Optional Upgrade - Continuous Pivoting Bracket

- 6-year warranty
- Provides sleek and clean interior appearance
- Offers additional barrier against air infiltration



Windows

Add visual appeal and value to your home with optional WINDOWS and a variety of colour-matched, UV protected, snap-in DESIGN INSERTS



Clear Windows - available in all widths



Cathedral- available in all widths



Stockton - available in all widths



Watertown - available in all widths



Cascade - available in all widths



Williamsburg - 4 Panel - available only in 8', 9', 16', 17' widths



Sherwood 4 panel or 8 Panel - available in 8', 9', 12', 13', 16', 17' & 20' widths



Williamsburg- 8 Panel - available only in 16' or 17' widths




Bradford Lead Look Glazing



- Standard 3-Year limited hardware warranty on all moving and non-moving parts
- Optional Upgrade* - Continuous Pivoting Bracket doubles the hardware warranty to 6-years

Colours



Door Width	Panels Across	Door Height	Number of Sections
8'-0" – 9'-0"	4	6'-6" – 7'-0"	4
10'-0" – 11'-0"	5	7'-6" – 8'-9"	5
12'-0" – 13'-0"	6	9'-0" – 10'-0"	6
14'-0" – 15'-0"	7	<i>Stylistic[®] 3000</i> panels available in 18" (457mm) and 21" (533mm) heights.	
16'-0" – 17'-0"	8		
18'-0" – 19'-0"	9		
20'-0"	10		

* Distance from end of section to 1st raised panel varies from 3" (76mm) to 11" (279mm) which permits cutting down of sections for custom widths."

Eagle Series Garage Door Operator*

- Excellent Value
- Best Warranty in the Industry
 - 15-Year Limited Warranty Eagle 500
 - Lifetime Limited Warranty Eagle 700
- Extremely Quiet DC Motor
- Soft-Start/Soft-Stop Operation
- Chain or Belt Rails
- Only 1/2" (13mm) of Additional Headroom Required
- 220V available for Export



*Optional, not included with door



Upwardor Corporation
8025 Lawson Road Milton, Ontario L9T 5C4
Tel: 905-876-3667 Fax: 905-876-3533
sales@upwardor.com www.upwardor.com



Distributor Info: